Western Slope

Crops: onions, lettuce, pears, cherries, apples, peaches

Symptoms of exposure to herbicides used in the Western Slope:

Skin: Skin irritation, dermatitis, rash, temporary skin swelling,

redness

Eyes: Eye irritation, tearing, temporary eye injury, blurred vision,

pinpoint pupils, irreversible eye damage

Respiratory system: Difficult breathing, respiratory tract irritation, fluid in the

lungs, pulmonary insufficiency leading to death,

nose bleeds, shortness of breath, increased risk of chemical pneumonia, cough, phlegm, tightness of chest, sore throat, irritation of mucous membranes, lung congestion, slow

respiration

Digestive system: Nausea, vomiting, diarrhea, gastrointestinal irritation

Other: Convulsions, headache, dizziness, drowsiness, kidney and

liver damage, allergic reaction, coma, death,

salivation, carcinogen, tremors, incoordination, confusion, cramps, fever, memory loss, inhibited cholinesterase, hyperactivity, chills, low blood pressure, muscle spasms, stupor, unconsciousness, slurred speech, affected gross motor function, uneven heart beat, spleen and thyroid

damage, red blood cell destruction with bluish

discoloration, weakness, difficulty walking, symptoms may

be delayed up to 48 hours after exposure

Symptoms of exposure to insecticides, miticides and acaricides used in the Western Slope:

Skin: Skin irritation, sensitization by repeated skin contact,

burns on skin, itching, allergic skin reactions, rash,

transient burning or prickling sensation

Eyes: Dimness of vision, tearing, blurred vision, eye irritation,

pinpoint pupils, burns on eyes, watery eyes, irreversible eye damage, substantial but temporary eye injury, pupil dilation

Respiratory system: Shortness of breath, wheezing, tightness of chest, silicosis

(lung disease), respiratory depression, cough

Digestive system: Vomiting, diarrhea, nausea, incontinence

Other: Salivation, convulsions, death, abdominal pain, tremors,

ataxia, coma, tingling, numbness, depression, incoordination, slurred speech, headache, dizziness,

decreased activity, weakness, agitation,

irritability, vertigo, sweating, muscle twitching, fatigue,

muscle weakness, carcinogen,

confusion, memory loss, low blood pressure, slow heart beat, nervousness, tingling, thirst, nervous depression, lethargy, excitation, inhibited cholinesterase, drooling and frothing at the mouth and nose, muscle spasms, liver, heart

and kidney damage, unconsciousness

Symptoms of exposure to fungicides used in the Western Slope:

Skin: Skin irritation, dermatitis, itching eczema,

allergic skin reaction

Eyes: Eye irritation, tearing, irreversible eye damage, cataracts,

corneal injury, toxicity to lens of eye

Respiratory system: Respiratory tract irritation, shortness of breath, cough,

Nose or throat irritation, severe and permanent lung

damage

Digestive system: Vomiting, diarrhea, laxative effect

Other: Nausea, abdominal pain, incoordination, headaches,

sweating, salivation, gastric pain, sore throat, gastrointestinal distress, dizziness, fatigue, carcinogenic, thyroid enlargement, depression,

paranoia, kidney and liver damage, nosebleeds, adverse reproductive effects and harm to the fetus, toxicity to

spleen, liver, adrenals